





## **Features**

- Suitable for Pregnant Women & Diabetics
- Clinically Validated
- Share with your Doctor
- Irregular Heart Beat Detection
- Universal Cuff (22-45cm)
- Partnered with
- 2 User x 250 Memory Storage











[User/Forward] button

Type-C port

[Memory/Pairing/Backward] button

## **Specifications**

Model Number	TMB-2288-B	CUFF
External Dimensions	Approx. 178 mm × 101 mm × 42.89 mm	AIR HOSE
Display Mode	Digital LCD V.A. 124 mm × 76 mm	
Weight	Approx. 343 g (Excluding the batteries and cuff)	AIR CONNECTOR PLUG
Measurement mode	Oscillographic testing mode	
Mode of operation	Continuous operation	
Measurement range	Rated cuff pressure: 0 mmHg~299 mmHg	LCD DISPLAY—————
	Measurement pressure: SYS: 60 mmHg ~ 230 mm	ìНg
	DIA: 40 mmHg $^{\sim}$ 130 mmHg Pulse value: (40-199) beat/minute	
Accuracy	Pressure: 5°C-40°C within ±3 mmHg Pulse value: ±5%	
Normal working condition	A temperature range of: +5°C to +40°C A relative humidity range of 15%	
	to 90%, non-condensing, but not requiring a water vapour partial pressure	
	greater than 50 hPa An atmospheric pressure range of :700 hPa to 1060 hPa	
Storage & transportation	Temperature: -20°C to +60°C A relative humidity range of ≤ 93%,	
condition	non-condensing, at a water vapour pressure up to 50 hPa	
Degree of protection	Type BF applied part	
Protection against	IP21	
ingress of water		

## **Structure**

